

```

<?xml version="1.0" encoding="UTF-8"?>
<schema xmlns="http://www.w3.org/2001/XMLSchema"
  xmlns:x="http://vaei.casetivity.com/emrResponse"
  elementFormDefault="qualified"
  targetNamespace="http://vaei.casetivity.com/emrResponse">
  <element name="ack" type="x:ackType" />
  <complexType name="ackType">
    <sequence>
      <element type="x:summaryType" name="summary" />
      <element type="x:detailsType" name="details" />
    </sequence>
  </complexType>
  <complexType name="detailsType">
    <sequence>
      <element type="x:Client" name="Client" maxOccurs="unbounded"
minOccurs="0" />
    </sequence>
  </complexType>
  <complexType name="summaryType">
    <sequence>
      <element type="int" name="totalProcessed" />
      <element type="int" name="totalSuccess" />
      <element type="int" name="totalPartiallyProcessedwithErrors" />
      <element type="int" name="totalProcessedWithWarnings" />
      <element type="int" name="totalRejected" />
      <element type="int" name="totalEnrollmentsCreated" />
      <element type="int" name="totalEnrollmentsUpdated" />
    </sequence>
  </complexType>
  <complexType name="errorType">
    <sequence>
      <element type="string" name="code" minOccurs="0" />
      <element type="string" name="message" />
    </sequence>
  </complexType>
  <complexType name="warnType">
    <sequence>
      <element type="string" name="code" minOccurs="0" />
      <element type="string" name="message" />
    </sequence>
  </complexType>
  <complexType name="infoType">
    <sequence>
      <element type="string" name="code" minOccurs="0" />
      <element type="string" name="message" />
    </sequence>
  </complexType>
  <complexType name="Client">
    <sequence>
      <element type="string" name="status" minOccurs="0" />
      <element type="string" name="firstName" minOccurs="0" />
      <element type="string" name="lastName" minOccurs="0" />
      <element type="date" name="birthDate" minOccurs="0" />
      <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
      <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
    </sequence>
  </complexType>

```

```

        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
        <element minOccurs="0" name="currentAddress" type="x:Address" />
        <element name="races" minOccurs="0">
            <complexType>
                <sequence>
                    <element name="Concept" maxOccurs="unbounded"
minOccurs="0">
                        <complexType>
                            <sequence>
                                <element type="x:errorType" name="error"
maxOccurs="unbounded" minOccurs="0" />
                                <element type="x:warnType" name="warn"
maxOccurs="unbounded" minOccurs="0" />
                                <element type="x:infoType" name="info"
maxOccurs="unbounded" minOccurs="0" />
                            </sequence>
                        </complexType>
                    </element>
                </sequence>
            </complexType>
        </element>
        <element name="riskFactors" minOccurs="0">
            <complexType>
                <sequence>
                    <element name="Concept" maxOccurs="unbounded"
minOccurs="0">
                        <complexType>
                            <sequence>
                                <element type="x:errorType" name="error"
maxOccurs="unbounded" minOccurs="0" />
                                <element type="x:warnType" name="warn"
maxOccurs="unbounded" minOccurs="0" />
                                <element type="x:infoType" name="info"
maxOccurs="unbounded" minOccurs="0" />
                            </sequence>
                        </complexType>
                    </element>
                </sequence>
            </complexType>
        </element>
        <element name="enrollments">
            <complexType>
                <sequence>
                    <element type="x:Enrollment" name="Enrollment"
maxOccurs="unbounded" />
                </sequence>
            </complexType>
        </element>
        <element minOccurs="0" name="guardians">
            <complexType>
                <sequence>
                    <element maxOccurs="unbounded" minOccurs="0"
name="Guardian" type="x:Guardian" />
                </sequence>
            </complexType>
        </element>

```

```

    </sequence>
</complexType>
<complexType name="Enrollment">
  <sequence>
    <element type="string" name="status" minOccurs="0" />
    <element minOccurs="0" name="enrollmentNumber">
      <simpleType>
        <restriction base="string">
          <maxLength value="12" />
        </restriction>
      </simpleType>
    </element>
    <element minOccurs="0" name="billingNumber">
      <simpleType>
        <restriction base="string">
          <maxLength value="12" />
        </restriction>
      </simpleType>
    </element>
    <element minOccurs="0" name="enrollmentStatusCode">
      <simpleType>
        <restriction base="string" />
      </simpleType>
    </element>
    <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
    <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
    <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
    <element minOccurs="0" name="intake" type="x:Intake" />
    <element minOccurs="0" name="ifsp" type="x:Ifsp" />
    <element minOccurs="0" name="progressNotes">
      <complexType>
        <sequence>
          <element maxOccurs="unbounded" minOccurs="0"
name="ProgressNote" type="x:ProgressNote" />
        </sequence>
      </complexType>
    </element>
    <element minOccurs="0" name="evaluations">
      <complexType>
        <sequence>
          <element maxOccurs="unbounded" minOccurs="0"
name="Evaluation" type="x:Evaluation" />
        </sequence>
      </complexType>
    </element>
    <element minOccurs="0" name="referrals">
      <complexType>
        <sequence>
          <element maxOccurs="unbounded" minOccurs="0"
name="Referral" type="x:Referral" />
        </sequence>
      </complexType>
    </element>
    <element minOccurs="0" name="insurances">

```

```

        <complexType>
          <sequence>
            <element maxOccurs="unbounded" minOccurs="0"
name="Insurance" type="x:Insurance" />
          </sequence>
        </complexType>
      </element>
      <element minOccurs="0" name="diagnoses">
        <complexType>
          <sequence>
            <element maxOccurs="unbounded" minOccurs="0"
name="Diagnosis" type="x:Diagnosis" />
          </sequence>
        </complexType>
      </element>
      <element minOccurs="0" name="consents">
        <complexType>
          <sequence>
            <element maxOccurs="unbounded" minOccurs="0" name="Consent"
type="x:Consent" />
          </sequence>
        </complexType>
      </element>
      <element minOccurs="0" name="monthlyCaps">
        <complexType>
          <sequence>
            <element maxOccurs="1" minOccurs="0" name="MonthlyCap"
type="x:MonthlyCap" />
          </sequence>
        </complexType>
      </element>
      <element minOccurs="0" name="serviceCoordinators">
        <complexType>
          <sequence>
            <element maxOccurs="1" minOccurs="0"
name="ServiceCoordinator" type="x:ServiceCoordinator" />
          </sequence>
        </complexType>
      </element>
      <element minOccurs="0" name="contacts">
        <complexType>
          <sequence>
            <element maxOccurs="unbounded" minOccurs="0" name="Contact"
type="x:Contact" />
          </sequence>
        </complexType>
      </element>
      <element minOccurs="0" name="pwns">
        <complexType>
          <sequence>
            <element maxOccurs="unbounded" minOccurs="0" name="Pwn"
type="x:Pwn" />
          </sequence>
        </complexType>
      </element>
      <element minOccurs="0" name="communicationLogs">
        <complexType>

```

```

        <sequence>
            <element maxOccurs="unbounded" minOccurs="0"
name="CommunicationLog" type="x:CommunicationLog" />
        </sequence>
    </complexType>
</element>
<element minOccurs="0" name="transition" type="x:Transition" />
<element minOccurs="0" name="assessments">
    <complexType>
        <sequence>
            <element maxOccurs="1" minOccurs="0" name="Assessment"
type="x:Assessment" />
        </sequence>
    </complexType>
</element>
<element name="conditions" minOccurs="0">
    <complexType>
        <sequence>
            <element name="Concept" maxOccurs="unbounded"
minOccurs="0">
                <complexType>
                    <sequence>
                        <element type="x:errorType" name="error"
maxOccurs="unbounded" minOccurs="0" />
                        <element type="x:warnType" name="warn"
maxOccurs="unbounded" minOccurs="0" />
                        <element type="x:infoType" name="info"
maxOccurs="unbounded" minOccurs="0" />
                    </sequence>
                </complexType>
            </element>
        </sequence>
    </complexType>
</element>
<element minOccurs="0" name="hsqs">
    <complexType>
        <sequence>
            <element maxOccurs="unbounded" minOccurs="0" name="Hsq"
type="x:Hsq" />
        </sequence>
    </complexType>
</element>
</sequence>
</complexType>
<complexType name="Address">
    <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
    </sequence>
</complexType>
<complexType name="Intake">
    <sequence>

```

```

        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
        <element minOccurs="0" name="attendees">
            <complexType>
                <sequence>
                    <element maxOccurs="unbounded" minOccurs="0"
name="Attendee" type="x:Attendee" />
                </sequence>
            </complexType>
        </element>
    </sequence>
</complexType>
<complexType name="Ifsp">
    <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
        <element minOccurs="0" name="concerns">
            <complexType>
                <sequence>
                    <element maxOccurs="unbounded" minOccurs="0" name="Concern"
type="x:Concern" />
                </sequence>
            </complexType>
        </element>
        <element minOccurs="0" name="servicePlans">
            <complexType>
                <sequence>
                    <element maxOccurs="unbounded" minOccurs="0"
name="ServicePlan" type="x:ServicePlan" />
                </sequence>
            </complexType>
        </element>
        <element minOccurs="0" name="attendees">
            <complexType>
                <sequence>
                    <element maxOccurs="unbounded" minOccurs="0"
name="Attendee" type="x:Attendee" />
                </sequence>
            </complexType>
        </element>
        <element minOccurs="0" name="assessment" type="x:Assessment" />
    </sequence>
</complexType>
<complexType name="Transition">
    <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />

```

```

        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
        <element minOccurs="0" name="attendees">
            <complexType>
                <sequence>
                    <element maxOccurs="unbounded" minOccurs="0"
name="Attendee" type="x:Attendee" />
                </sequence>
            </complexType>
        </element>
    </sequence>
</complexType>
<complexType name="Evaluation">
    <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
        <element name="eligibilityMethods" minOccurs="0">
            <complexType>
                <sequence>
                    <element name="Concept" maxOccurs="unbounded"
minOccurs="0">
                        <complexType>
                            <sequence>
                                <element type="x:errorType" name="error"
maxOccurs="unbounded" minOccurs="0" />
                                <element type="x:warnType" name="warn"
maxOccurs="unbounded" minOccurs="0" />
                                <element type="x:infoType" name="info"
maxOccurs="unbounded" minOccurs="0" />
                            </sequence>
                        </complexType>
                    </element>
                </sequence>
            </complexType>
        </element>
        <element name="areaOfDelays" minOccurs="0">
            <complexType>
                <sequence>
                    <element name="Concept" maxOccurs="unbounded"
minOccurs="0">
                        <complexType>
                            <sequence>
                                <element type="x:errorType" name="error"
maxOccurs="unbounded" minOccurs="0" />
                                <element type="x:warnType" name="warn"
maxOccurs="unbounded" minOccurs="0" />
                                <element type="x:infoType" name="info"
maxOccurs="unbounded" minOccurs="0" />
                            </sequence>
                        </complexType>
                    </element>
                </sequence>
            </complexType>
        </element>
    </sequence>
</complexType>

```

```

    </element>
    <element name="areaOfaTypicals" minOccurs="0">
      <complexType>
        <sequence>
          <element name="Concept" maxOccurs="unbounded"
minOccurs="0">
            <complexType>
              <sequence>
                <element type="x:errorType" name="error"
maxOccurs="unbounded" minOccurs="0" />
                <element type="x:warnType" name="warn"
maxOccurs="unbounded" minOccurs="0" />
                <element type="x:infoType" name="info"
maxOccurs="unbounded" minOccurs="0" />
              </sequence>
            </complexType>
          </element>
        </sequence>
      </complexType>
    </element>
    <element name="conditions" minOccurs="0">
      <complexType>
        <sequence>
          <element name="Concept" maxOccurs="unbounded"
minOccurs="0">
            <complexType>
              <sequence>
                <element type="x:errorType" name="error"
maxOccurs="unbounded" minOccurs="0" />
                <element type="x:warnType" name="warn"
maxOccurs="unbounded" minOccurs="0" />
                <element type="x:infoType" name="info"
maxOccurs="unbounded" minOccurs="0" />
              </sequence>
            </complexType>
          </element>
        </sequence>
      </complexType>
    </element>
    <element minOccurs="0" name="attendeeds">
      <complexType>
        <sequence>
          <element maxOccurs="unbounded" minOccurs="0"
name="Attendee" type="x:Attendee" />
        </sequence>
      </complexType>
    </element>
  </sequence>
</complexType>
<complexType name="ProgressNote">
  <sequence>
    <element name="id" type="x:id" minOccurs="0" />
    <element name="externalIdentifier" type="string" minOccurs="0" />
    <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
    <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
  </sequence>
</complexType>

```



```

        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
        <element name="serviceLogs" minOccurs="0">
            <complexType>
                <sequence>
                    <element maxOccurs="unbounded" minOccurs="0"
name="ServiceLog" type="x:ServiceLog" />
                </sequence>
            </complexType>
        </element>
        <element name="clinician" type="x:User" minOccurs="0" />
    </sequence>
</complexType>
<complexType name="ServiceLog">
    <sequence>
        <element name="id" type="x:id" minOccurs="0" />
        <element name="externalIdentifier" type="string" minOccurs="0" />
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
        <element minOccurs="0" name="diagnosis" type="x:Diagnosis" />
        <element minOccurs="0" name="progresses">
            <complexType>
                <sequence>
                    <element maxOccurs="unbounded" minOccurs="0"
name="Progress" type="x:Progress" />
                </sequence>
            </complexType>
        </element>
    </sequence>
</complexType>
<complexType name="ServicePlan">
    <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
        <element name="methods" minOccurs="0">
            <complexType>
                <sequence>
                    <element name="Concept" maxOccurs="unbounded"
minOccurs="0">
                        <complexType>
                            <sequence>
                                <element type="x:errorType" name="error"
maxOccurs="unbounded" minOccurs="0" />
                                <element type="x:warnType" name="warn"
maxOccurs="unbounded" minOccurs="0" />
                                <element type="x:infoType" name="info"
maxOccurs="unbounded" minOccurs="0" />
                            </sequence>
                        </complexType>
                    </element>
                </sequence>
            </complexType>
        </element>
    </sequence>
</complexType>

```

```

        </element>
    </sequence>
</complexType>
</element>
<element name="locations" minOccurs="0">
    <complexType>
        <sequence>
            <element name="Concept" maxOccurs="unbounded"
minOccurs="0">
                <complexType>
                    <sequence>
                        <element type="x:errorType" name="error"
maxOccurs="unbounded" minOccurs="0" />
                        <element type="x:warnType" name="warn"
maxOccurs="unbounded" minOccurs="0" />
                        <element type="x:infoType" name="info"
maxOccurs="unbounded" minOccurs="0" />
                    </sequence>
                </complexType>
            </element>
        </sequence>
    </complexType>
</element>
<element name="user" type="x:User" minOccurs="0" />
</sequence>
</complexType>
<complexType name="Concern">
    <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
        <element minOccurs="0" name="progresses">
            <complexType>
                <sequence>
                    <element maxOccurs="unbounded" minOccurs="0"
name="Progress" type="x:Progress" />
                </sequence>
            </complexType>
        </element>
    </sequence>
</complexType>
<complexType name="Concept">
    <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
    </sequence>
</complexType>
<complexType name="Diagnosis">
    <sequence>

```

```

        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
    </sequence>
</complexType>
<complexType name="User">
    <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
    </sequence>
</complexType>
<complexType name="Referral">
    <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
    </sequence>
</complexType>
<complexType name="Insurance">
    <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
    </sequence>
</complexType>
<complexType name="Consent">
    <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
    </sequence>
</complexType>
<complexType name="Attendee">
    <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
    </sequence>

```

```

    </complexType>
    <complexType name="Hsq">
      <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
      </sequence>
    </complexType>
    <complexType name="Assessment">
      <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
        <element minOccurs="0" name="attendees">
          <complexType>
            <sequence>
              <element maxOccurs="unbounded" minOccurs="0"
name="Attendee" type="x:Attendee" />
            </sequence>
          </complexType>
        </element>
        <element name="tools" minOccurs="0">
          <complexType>
            <sequence>
              <element name="Concept" maxOccurs="unbounded"
minOccurs="0">
                <complexType>
                  <sequence>
                    <element type="x:errorType" name="error"
maxOccurs="unbounded" minOccurs="0" />
                    <element type="x:warnType" name="warn"
maxOccurs="unbounded" minOccurs="0" />
                    <element type="x:infoType" name="info"
maxOccurs="unbounded" minOccurs="0" />
                  </sequence>
                </complexType>
              </element>
            </sequence>
          </complexType>
        </element>
        <element name="sources" minOccurs="0">
          <complexType>
            <sequence>
              <element name="Concept" maxOccurs="unbounded"
minOccurs="0">
                <complexType>
                  <sequence>
                    <element type="x:errorType" name="error"
maxOccurs="unbounded" minOccurs="0" />
                    <element type="x:warnType" name="warn"
maxOccurs="unbounded" minOccurs="0" />
                  </sequence>
                </complexType>
              </element>
            </sequence>
          </complexType>
        </element>
      </sequence>
    </complexType>
  </sequence>
</complexType>

```

```

                <element type="x:infoType" name="info"
maxOccurs="unbounded" minOccurs="0" />
            </sequence>
        </complexType>
    </element>
</sequence>
</complexType>
</element>
</sequence>
</complexType>
<complexType name="MonthlyCap">
    <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
    </sequence>
</complexType>
<complexType name="ServiceCoordinator">
    <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
        <element minOccurs="0" name="user" type="x:User" />
    </sequence>
</complexType>
<complexType name="Guardian">
    <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
        <element minOccurs="0" name="currentAddress" type="x:Address" />
    </sequence>
</complexType>
<complexType name="CommunicationLog">
    <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
        <element minOccurs="0" name="user" type="x:User" />
    </sequence>
</complexType>
<complexType name="Contact">
    <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />

```

```
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
        <element minOccurs="0" name="address" type="x:Address" />
    </sequence>
</complexType>
<complexType name="Pwn">
    <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
    </sequence>
</complexType>
<complexType name="Progress">
    <sequence>
        <element type="x:errorType" name="error" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:warnType" name="warn" maxOccurs="unbounded"
minOccurs="0" />
        <element type="x:infoType" name="info" maxOccurs="unbounded"
minOccurs="0" />
    </sequence>
</complexType>
<simpleType name="id">
    <restriction base="string">
        <minLength value="36" />
        <maxLength value="36" />
    </restriction>
</simpleType>
</schema>
```