

```

<?xml version="1.0" encoding="UTF-8"?>
<schema xmlns="http://www.w3.org/2001/XMLSchema"
  xmlns:x="http://casetivity.com/datamodel.xsd"
  elementFormDefault="qualified"
  targetNamespace="http://casetivity.com/datamodel.xsd">
  <element name="clients">
    <complexType>
      <sequence>
        <element maxOccurs="unbounded" minOccurs="0" name="Client"
type="x:Client" />
      </sequence>
    </complexType>
  </element>
  <complexType name="Client">
    <sequence>
      <element name="firstName">
        <simpleType>
          <restriction base="string">
            <maxLength value="75" />
          </restriction>
        </simpleType>
      </element>
      <element minOccurs="0" name="middleName">
        <simpleType>
          <restriction base="string">
            <maxLength value="75" />
          </restriction>
        </simpleType>
      </element>
      <element name="lastName">
        <simpleType>
          <restriction base="string">
            <minLength value="1" />
            <maxLength value="75" />
          </restriction>
        </simpleType>
      </element>
      <element name="birthDate" type="date" />
      <element minOccurs="0" name="nickname">
        <simpleType>
          <restriction base="string">
            <maxLength value="75" />
          </restriction>
        </simpleType>
      </element>
      <element minOccurs="0" name="multipleBirth" type="boolean" />
      <element minOccurs="0" name="spokenLanguageOther">
        <simpleType>
          <restriction base="string">
            <maxLength value="75" />
          </restriction>
        </simpleType>
      </element>
      <element minOccurs="0" name="writtenLanguageOther">
        <simpleType>
          <restriction base="string">
            <maxLength value="75" />
          </restriction>
        </simpleType>
      </element>
    </sequence>
  </complexType>
</schema>

```

```

        </restriction>
    </simpleType>
</element>
<element minOccurs="0" name="permissionToText" type="boolean" />
<element minOccurs="0" name="hearingStatus">
    <simpleType>
        <restriction base="string">
            <maxLength value="200" />
        </restriction>
    </simpleType>
</element>
<element minOccurs="0" name="visionStatus">
    <simpleType>
        <restriction base="string">
            <maxLength value="200" />
        </restriction>
    </simpleType>
</element>
<element minOccurs="0" name="currentAddress" type="x:Address" />
<element name="enrollments">
    <complexType>
        <sequence>
            <element name="Enrollment" type="x:Enrollment" />
        </sequence>
    </complexType>
</element>
<element minOccurs="0" name="races">
    <complexType>
        <sequence>
            <element maxOccurs="unbounded" minOccurs="0" name="Concept"
type="x:Concept" />
        </sequence>
    </complexType>
</element>
<element minOccurs="0" name="riskFactors">
    <complexType>
        <sequence>
            <element maxOccurs="unbounded" minOccurs="0" name="Concept"
type="x:Concept" />
        </sequence>
    </complexType>
</element>
<element minOccurs="0" name="suffixCode" type="string" />
<element minOccurs="0" name="sexCode" type="string" />
<element minOccurs="0" name="spokenLanguageCode" type="string" />
<element minOccurs="0" name="writtenLanguageCode" type="string" />
<element minOccurs="0" name="hearingResultsCode" type="string" />
<element minOccurs="0" name="visionResultsCode" type="string" />
<element minOccurs="0" name="guardians">
    <complexType>
        <sequence>
            <element maxOccurs="unbounded" minOccurs="0"
name="Guardian" type="x:Guardian" />
        </sequence>
    </complexType>
</element>
</sequence>

```

```

</complexType>
<complexType name="Address">
  <sequence>
    <element minOccurs="0" name="line1">
      <simpleType>
        <restriction base="string">
          <maxLength value="75" />
        </restriction>
      </simpleType>
    </element>
    <element minOccurs="0" name="line2">
      <simpleType>
        <restriction base="string">
          <maxLength value="75" />
        </restriction>
      </simpleType>
    </element>
    <element minOccurs="0" name="cityTown">
      <simpleType>
        <restriction base="string">
          <maxLength value="75" />
        </restriction>
      </simpleType>
    </element>
    <element minOccurs="0" name="zip">
      <simpleType>
        <restriction base="string">
          <maxLength value="25" />
        </restriction>
      </simpleType>
    </element>
    <element minOccurs="0" name="communityCode" type="string" />
    <element minOccurs="0" name="stateCode" type="string" />
  </sequence>
</complexType>
<complexType name="Concept">
  <sequence>
    <element name="code" type="string" />
  </sequence>
</complexType>
<complexType name="Enrollment">
  <sequence>
    <element minOccurs="0" name="enrollmentNumber">
      <simpleType>
        <restriction base="string">
          <maxLength value="12" />
        </restriction>
      </simpleType>
    </element>
    <element minOccurs="0" name="billingNumber">
      <simpleType>
        <restriction base="string">
          <maxLength value="12" />
        </restriction>
      </simpleType>
    </element>
    <element minOccurs="0" name="dischargeDate" type="date" />
  </sequence>
</complexType>

```

```

<element minOccurs="0" name="intake" type="x:Intake" />
<element minOccurs="0" name="transition" type="x:Transition" />
<element minOccurs="0" name="ifsp" type="x:Ifsp" />
<element minOccurs="0" name="progressNotes">
  <complexType>
    <sequence>
      <element maxOccurs="unbounded" minOccurs="0"
name="ProgressNote" type="x:ProgressNote" />
    </sequence>
  </complexType>
</element>
<element minOccurs="0" name="evaluations">
  <complexType>
    <sequence>
      <element maxOccurs="unbounded" minOccurs="0"
name="Evaluation" type="x:Evaluation" />
    </sequence>
  </complexType>
</element>
<element minOccurs="0" name="referrals">
  <complexType>
    <sequence>
      <element maxOccurs="unbounded" minOccurs="0"
name="Referral" type="x:Referral" />
    </sequence>
  </complexType>
</element>
<element minOccurs="0" name="insurances">
  <complexType>
    <sequence>
      <element maxOccurs="unbounded" minOccurs="0"
name="Insurance" type="x:Insurance" />
    </sequence>
  </complexType>
</element>
<element minOccurs="0" name="consents">
  <complexType>
    <sequence>
      <element maxOccurs="unbounded" minOccurs="0" name="Consent"
type="x:Consent" />
    </sequence>
  </complexType>
</element>
<element minOccurs="0" name="diagnoses">
  <complexType>
    <sequence>
      <element maxOccurs="unbounded" minOccurs="0"
name="Diagnosis" type="x:Diagnosis" />
    </sequence>
  </complexType>
</element>
<element minOccurs="0" name="dischargeReasonCode" type="string" />
<element minOccurs="0" name="reasonForNoExitDataCode" type="string"
/>

<element minOccurs="0" name="pwns">
  <complexType>
    <sequence>

```

```

                <element maxOccurs="unbounded" minOccurs="0" name="Pwn"
type="x:Pwn" />
            </sequence>
        </complexType>
    </element>
    <element minOccurs="0" name="contacts">
        <complexType>
            <sequence>
                <element maxOccurs="unbounded" minOccurs="0" name="Contact"
type="x:Contact" />
            </sequence>
        </complexType>
    </element>
    <element minOccurs="0" name="communicationLogs">
        <complexType>
            <sequence>
                <element maxOccurs="unbounded" minOccurs="0"
name="CommunicationLog" type="x:CommunicationLog" />
            </sequence>
        </complexType>
    </element>
    <element minOccurs="0" name="serviceCoordinators">
        <complexType>
            <sequence>
                <element maxOccurs="1" minOccurs="0"
name="ServiceCoordinator" type="x:ServiceCoordinator" />
            </sequence>
        </complexType>
    </element>
    <element minOccurs="0" name="servicesProvidedEarly" type="boolean"
/>
    <complexType>
        <sequence>
            <element maxOccurs="1" minOccurs="0" name="MonthlyCap"
type="x:MonthlyCap" />
        </sequence>
    </complexType>
    </element>
    <element minOccurs="0" name="conditions">
        <complexType>
            <sequence>
                <element maxOccurs="unbounded" minOccurs="0" name="Concept"
type="x:Concept" />
            </sequence>
        </complexType>
    </element>
    <element minOccurs="0" name="conditionOther">
        <simpleType>
            <restriction base="string">
                <maxLength value="300" />
            </restriction>
        </simpleType>
    </element>
    <element minOccurs="0" name="assessments">
        <complexType>
            <sequence>

```

```

                <element maxOccurs="1" minOccurs="0" name="Assessment"
type="x:Assessment" />
            </sequence>
        </complexType>
    </element>
    <element minOccurs="0" name="hsqs">
        <complexType>
            <sequence>
                <element maxOccurs="unbounded" minOccurs="0" name="Hsq"
type="x:Hsq"/>
            </sequence>
        </complexType>
    </element>
</sequence>
</complexType>
<complexType name="Organization">
    <sequence>
        <element name="number" type="int" />
    </sequence>
</complexType>
<complexType name="Intake">
    <sequence>
        <element name="intakeDate" type="date" />
        <element minOccurs="0" name="medicalInfo" type="string" />
        <element minOccurs="0" name="routines" type="string" />
        <element minOccurs="0" name="familyConcerns" type="string" />
        <element minOccurs="0" name="otherFamily" type="string" />
        <element minOccurs="0" name="attendees">
            <complexType>
                <sequence>
                    <element maxOccurs="unbounded" minOccurs="0"
name="Attendee" type="x:Attendee" />
                </sequence>
            </complexType>
        </element>
    </sequence>
</complexType>
<complexType name="Transition">
    <sequence>
        <element minOccurs="0" name="transitionPlanDate" type="date" />
        <element minOccurs="0" name="changesComing" type="string" />
        <element minOccurs="0" name="helpPrepare" type="string" />
        <element minOccurs="0" name="helpfulResources" type="string" />
        <element minOccurs="0" name="communityOpportunities" type="string"
/>
        <element minOccurs="0" name="serviceChanges" type="string" />
        <element minOccurs="0" name="transitionPlan" type="string" />
        <element minOccurs="0" name="leaConsentDate" type="date" />
        <element minOccurs="0" name="leaParticipated" type="boolean" />
        <element minOccurs="0" name="leaReferralDate" type="date" />
        <element minOccurs="0" name="seaNotificationDate" type="date" />
        <element minOccurs="0" name="transitionPlanConfDate" type="date" />
        <element minOccurs="0" name="completedDateCommunityOptions"
type="date" />
        <element minOccurs="0" name="personCompletedCommunityOptions">
            <simpleType>
                <restriction base="string">

```

```

        <maxLength value="200" />
    </restriction>
</simpleType>
</element>
<element minOccurs="0" name="targetDateCommunityOptions" type="date"
/>
<element minOccurs="0" name="personCompletedLea">
    <simpleType>
        <restriction base="string">
            <maxLength value="200" />
        </restriction>
    </simpleType>
</element>
<element minOccurs="0" name="referredProgram">
    <simpleType>
        <restriction base="string">
            <maxLength value="200" />
        </restriction>
    </simpleType>
</element>
<element minOccurs="0" name="dateReferralSent" type="date" />
<element minOccurs="0" name="dateInformationSent" type="date" />
<element minOccurs="0" name="personCompletedOtherPrograms">
    <simpleType>
        <restriction base="string">
            <maxLength value="200" />
        </restriction>
    </simpleType>
</element>
<element minOccurs="0" name="targetSupportDate" type="date" />
<element minOccurs="0" name="completedSupportDate" type="date" />
<element minOccurs="0" name="participantsTpc">
    <simpleType>
        <restriction base="string">
            <maxLength value="200" />
        </restriction>
    </simpleType>
</element>
<element minOccurs="0" name="support" type="boolean" />
<element minOccurs="0" name="twoYearTargetTransitionDate"
type="date" />
<element minOccurs="0" name="noEarlierThan" type="date" />
<element minOccurs="0" name="leaOptOutDate" type="date" />
<element minOccurs="0" name="parentInitialOptOut">
    <simpleType>
        <restriction base="string">
            <maxLength value="25" />
        </restriction>
    </simpleType>
</element>
<element minOccurs="0" name="consDateToSendInfo" type="date" />
<element minOccurs="0" name="dateInfoSent" type="date" />
<element minOccurs="0" name="notifTargetDate" type="date" />
<element minOccurs="0" name="completedDateForNotif" type="date" />
<element minOccurs="0" name="consentDateForProg" type="date" />
<element minOccurs="0" name="tpcApproved" type="boolean" />
<element minOccurs="0" name="scheduledTpcDate" type="date" />

```

```

<element minOccurs="0" name="tpcTargetDate" type="date" />
<element minOccurs="0" name="tpcCompletedBy">
  <simpleType>
    <restriction base="string">
      <maxLength value="200" />
    </restriction>
  </simpleType>
</element>
<element minOccurs="0" name="transitionSrvDate" type="date" />
<element minOccurs="0" name="targetTransitionSrvDate" type="date" />
<element minOccurs="0" name="tranSrvCompleteDate" type="date" />
<element minOccurs="0" name="parentInitialLeaOptIn">
  <simpleType>
    <restriction base="string">
      <maxLength value="25" />
    </restriction>
  </simpleType>
</element>
<element minOccurs="0" name="seaStatusCode" type="string" />
<element minOccurs="0" name="transitionPlanReasonCode" type="string" />
/>
<element minOccurs="0" name="leaReasonCode" type="string" />
<element minOccurs="0" name="transitionPlanConfReasonCode"
type="string" />
<element minOccurs="0" name="schoolDistrictCode" type="string" />
<element minOccurs="0" name="seaReasonCode" type="string" />
<element minOccurs="0" name="attendees">
  <complexType>
    <sequence>
      <element maxOccurs="unbounded" minOccurs="0"
name="Attendee" type="x:Attendee" />
    </sequence>
  </complexType>
</element>
<element minOccurs="0" name="noTpc" type="boolean" />
</sequence>
</complexType>
<complexType name="Ifsp">
  <sequence>
    <element name="firstIfspMeetingDate" type="date" />
    <element name="ifspSignedDate" type="date" />
    <element minOccurs="0" name="easiest1" type="string" />
    <element minOccurs="0" name="easiest2" type="string" />
    <element minOccurs="0" name="easiest3" type="string" />
    <element minOccurs="0" name="easiest4" type="string" />
    <element minOccurs="0" name="easiestwhy1" type="string" />
    <element minOccurs="0" name="easiestwhy2" type="string" />
    <element minOccurs="0" name="easiestwhy3" type="string" />
    <element minOccurs="0" name="easiestwhy4" type="string" />
    <element minOccurs="0" name="hardest1" type="string" />
    <element minOccurs="0" name="hardest2" type="string" />
    <element minOccurs="0" name="hardest3" type="string" />
    <element minOccurs="0" name="hardest4" type="string" />
    <element minOccurs="0" name="hardestwhy1" type="string" />
    <element minOccurs="0" name="hardestwhy2" type="string" />
    <element minOccurs="0" name="hardestwhy3" type="string" />
    <element minOccurs="0" name="hardestwhy4" type="string" />
  </sequence>
</complexType>

```



```
<element minOccurs="0" name="routinesAndSchedule" type="string" />
<element minOccurs="0" name="familyConcerns" type="string" />
<element minOccurs="0" name="familyPriorities" type="string" />
<element minOccurs="0" name="familyResources" type="string" />
<element minOccurs="0" name="healthHistory" type="string" />
<element minOccurs="0" name="healthStatus" type="string" />
<element minOccurs="0" name="additionalInfo" type="string" />
<element minOccurs="0" name="justification" type="string" />
<element minOccurs="0" name="otherServices" type="string" />
<element minOccurs="0" name="otherSteps" type="string" />
<element minOccurs="0" name="physicianSignatureAcknowledgement">
  <simpleType>
    <restriction base="string">
      <maxLength value="200" />
    </restriction>
  </simpleType>
</element>
<element minOccurs="0" name="adaptiveSelfHelpScore">
  <simpleType>
    <restriction base="string">
      <maxLength value="200" />
    </restriction>
  </simpleType>
</element>
<element minOccurs="0" name="cognitiveScore">
  <simpleType>
    <restriction base="string">
      <maxLength value="200" />
    </restriction>
  </simpleType>
</element>
<element minOccurs="0" name="expressiveLanguageScore">
  <simpleType>
    <restriction base="string">
      <maxLength value="200" />
    </restriction>
  </simpleType>
</element>
<element minOccurs="0" name="fineMotorScore">
  <simpleType>
    <restriction base="string">
      <maxLength value="200" />
    </restriction>
  </simpleType>
</element>
<element minOccurs="0" name="grossMotorScore">
  <simpleType>
    <restriction base="string">
      <maxLength value="200" />
    </restriction>
  </simpleType>
</element>
<element minOccurs="0" name="receptiveLanguageScore">
  <simpleType>
    <restriction base="string">
      <maxLength value="200" />
    </restriction>
  </simpleType>
</element>
```

```

    </simpleType>
  </element>
  <element minOccurs="0" name="socialEmotionalScore">
    <simpleType>
      <restriction base="string">
        <maxLength value="200" />
      </restriction>
    </simpleType>
  </element>
  <element minOccurs="0" name="translator" type="boolean" />
  <element minOccurs="0" name="reasonForLaterStart">
    <simpleType>
      <restriction base="string">
        <maxLength value="200" />
      </restriction>
    </simpleType>
  </element>
  <element minOccurs="0" name="familyInitialsNoConsent">
    <simpleType>
      <restriction base="string">
        <maxLength value="25" />
      </restriction>
    </simpleType>
  </element>
  <element minOccurs="0" name="lastReviewDate" type="date" />
  <element minOccurs="0" name="assessment" type="x:Assessment" />
  <element minOccurs="0" name="concerns">
    <complexType>
      <sequence>
        <element maxOccurs="unbounded" minOccurs="0" name="Concern"
type="x:Concern" />
      </sequence>
    </complexType>
  </element>
  <element minOccurs="0" name="servicePlans">
    <complexType>
      <sequence>
        <element maxOccurs="unbounded" minOccurs="0"
name="ServicePlan" type="x:ServicePlan" />
      </sequence>
    </complexType>
  </element>
  <element minOccurs="0" name="reasonIfLateCode" type="string" />
  <element name="primarySettingCode" type="string" />
  <element minOccurs="0" name="attendees">
    <complexType>
      <sequence>
        <element maxOccurs="unbounded" minOccurs="0"
name="Attendee" type="x:Attendee" />
      </sequence>
    </complexType>
  </element>
</sequence>
</complexType>
<complexType name="Assessment">
  <sequence>
    <element minOccurs="0" name="gestationalAge" type="int" />

```

```

<element minOccurs="0" name="date" type="date" />
<element minOccurs="0" name="familyMembers">
  <simpleType>
    <restriction base="string">
      <maxLength value="200" />
    </restriction>
  </simpleType>
</element>
<element minOccurs="0" name="toolsOther">
  <simpleType>
    <restriction base="string">
      <maxLength value="200" />
    </restriction>
  </simpleType>
</element>
<element minOccurs="0" name="otherAssessments" type="string" />
<element minOccurs="0" name="appropriateBehavior" type="string" />
<element minOccurs="0" name="knowledgeSkills" type="string" />
<element minOccurs="0" name="socialEmotionalSkills" type="string" />
<element minOccurs="0" name="tools">
  <complexType>
    <sequence>
      <element maxOccurs="unbounded" minOccurs="0" name="Concept"
type="x:Concept" />
    </sequence>
  </complexType>
</element>
<element minOccurs="0" name="sources">
  <complexType>
    <sequence>
      <element maxOccurs="unbounded" minOccurs="0" name="Concept"
type="x:Concept" />
    </sequence>
  </complexType>
</element>
<element minOccurs="0" name="appropriateBehaviorScoreCode"
type="string" />
<element minOccurs="0" name="knowledgeSkillsScoreCode" type="string"
/>
  <element minOccurs="0" name="socialEmotionalSkillsScoreCode"
type="string" />
  <element minOccurs="0" name="appropriateBehaviorProgressCode"
type="string" />
  <element minOccurs="0" name="knowledgeSkillsProgressCode"
type="string" />
  <element minOccurs="0" name="socialEmotionalProgressCode"
type="string" />
  <element minOccurs="0" name="attendees">
    <complexType>
      <sequence>
        <element maxOccurs="unbounded" minOccurs="0"
name="Attendee" type="x:Attendee" />
      </sequence>
    </complexType>
  </element>
</sequence>
</complexType>

```

```

<complexType name="Evaluation">
  <sequence>
    <element name="evaluationDate" type="date" />
    <element minOccurs="0" name="atypicalDevelopment" type="boolean" />
    <element minOccurs="0" name="developmentalDelay" type="boolean" />
    <element minOccurs="0" name="eligibilityMethodsOther" type="string" />
  />
  <element minOccurs="0" name="evaluationNarrative" type="string" />
  <element minOccurs="0" name="evaluationAttendees">
    <simpleType>
      <restriction base="string">
        <maxLength value="200" />
      </restriction>
    </simpleType>
  </element>
  <element minOccurs="0" name="establishedByRecords" type="boolean" />
  <element minOccurs="0" name="eligibilityMethods">
    <complexType>
      <sequence>
        <element maxOccurs="unbounded" minOccurs="0" name="Concept"
type="x:Concept" />
      </sequence>
    </complexType>
  </element>
  <element minOccurs="0" name="areaOfDelays">
    <complexType>
      <sequence>
        <element maxOccurs="unbounded" minOccurs="0" name="Concept"
type="x:Concept" />
      </sequence>
    </complexType>
  </element>
  <element minOccurs="0" name="areaOfaTypicals">
    <complexType>
      <sequence>
        <element maxOccurs="unbounded" minOccurs="0" name="Concept"
type="x:Concept" />
      </sequence>
    </complexType>
  </element>
  <element minOccurs="0" name="conditions">
    <complexType>
      <sequence>
        <element maxOccurs="unbounded" minOccurs="0" name="Concept"
type="x:Concept" />
      </sequence>
    </complexType>
  </element>
  <element minOccurs="0" name="evaluationResultCode" type="string" />
  <element minOccurs="0" name="evaluationTypeCode" type="string" />
  <element minOccurs="0" name="attendees">
    <complexType>
      <sequence>
        <element maxOccurs="unbounded" minOccurs="0"
name="Attendee" type="x:Attendee" />
      </sequence>
    </complexType>
  </element>

```

```

    </element>
    <element minOccurs="0" name="conditionOther">
      <simpleType>
        <restriction base="string">
          <maxLength value="300" />
        </restriction>
      </simpleType>
    </element>
  </sequence>
</complexType>
<complexType name="Diagnosis">
  <sequence>
    <element name="icd10Code">
      <simpleType>
        <restriction base="string">
          <maxLength value="25" />
        </restriction>
      </simpleType>
    </element>
  </sequence>
</complexType>
<complexType name="Concern">
  <sequence>
    <element minOccurs="0" name="description" type="string" />
    <element minOccurs="0" name="outcome" type="string" />
    <element minOccurs="0" name="measurables" type="string" />
    <element minOccurs="0" name="timeFrame" type="date" />
    <element minOccurs="0" name="startDate" type="date" />
    <element minOccurs="0" name="endDate" type="date" />
    <element minOccurs="0" name="progresses">
      <complexType>
        <sequence>
          <element maxOccurs="unbounded" minOccurs="0"
name="Progress" type="x:Progress" />
        </sequence>
      </complexType>
    </element>
  </sequence>
</complexType>
<complexType name="Progress">
  <sequence>
    <element minOccurs="0" name="progressDate" type="date" />
    <element minOccurs="0" name="description" type="string" />
    <element minOccurs="0" name="targetDate" type="date" />
  </sequence>
</complexType>
<complexType name="ServiceLog">
  <sequence>
    <element name="id" type="x:id" minOccurs="0" />
    <element name="externalIdentifier" type="string" minOccurs="0" />
    <element name="visitTime" type="dateTime" />
    <element minOccurs="0" name="suggestions" type="string" />
    <element minOccurs="0" name="clinicalNotes" type="string" />
    <element minOccurs="0" name="ongoingAssessment" type="string" />
    <element minOccurs="0" name="minutes" type="decimal" />
    <element minOccurs="0" name="teamServices" type="boolean" />
    <element minOccurs="0" name="progresses">

```

```

        <complexType>
          <sequence>
            <element maxOccurs="unbounded" minOccurs="0"
name="Progress" type="x:Progress" />
          </sequence>
        </complexType>
      </element>
      <element name="serviceTypeCode" type="string" />
      <element minOccurs="0" name="intensityCode" type="string" />
      <element minOccurs="0" name="serviceCoordinationActivityCode"
type="string" />
      <element minOccurs="0" name="cptCode">
        <simpleType>
          <restriction base="string">
            <maxLength value="25"/>
          </restriction>
        </simpleType>
      </element>
      <element minOccurs="0" name="units" type="decimal"/>
      <element minOccurs="0" name="modifier">
        <simpleType>
          <restriction base="string">
            <maxLength value="25"/>
          </restriction>
        </simpleType>
      </element>
      <element minOccurs="0" name="diagnosis" type="x:Diagnosis" />
      <element minOccurs="0" name="diagnosis2" type="x:Diagnosis"/>
      <element minOccurs="0" name="diagnosis3" type="x:Diagnosis"/>
      <element minOccurs="0" name="notBillable" type="boolean"/>
      <element minOccurs="0" name="familyContact" type="boolean"/>
      <element minOccurs="0" name="childPresent" type="boolean"/>
      <element minOccurs="0" name="noteMethodCode" type="string"/>
    </sequence>
  </complexType>
  <complexType name="ProgressNote">
    <sequence>
      <element minOccurs="0" name="program" type="x:Organization" />
      <element name="id" type="x:id" minOccurs="0" />
      <element name="externalIdentifier" type="string" minOccurs="0" />
      <element minOccurs="0" name="familyCaregiverUpdate" type="string" />
      <element minOccurs="0" name="telehealth" type="boolean" />
      <element name="serviceLogs">
        <complexType>
          <sequence>
            <element maxOccurs="unbounded" minOccurs="0"
name="ServiceLog" type="x:ServiceLog" />
          </sequence>
        </complexType>
      </element>
      <element name="clinician" type="x:User" />
      <element minOccurs="0" name="locationCode" type="string" />
      <element name="disciplineCode" type="string" />
      <element minOccurs="0" name="participants">
        <simpleType>
          <restriction base="string">
            <maxLength value="200" />
          </restriction>
        </simpleType>
      </element>
    </sequence>
  </complexType>

```

```

        </restriction>
    </simpleType>
</element>
</sequence>
</complexType>
<complexType name="User">
    <sequence>
        <element name="login" type="string" />
    </sequence>
</complexType>
<complexType name="ServicePlan">
    <sequence>
        <element minOccurs="0" name="endDate" type="date" />
        <element minOccurs="0" name="length" type="decimal" />
        <element minOccurs="0" name="frequency">
            <simpleType>
                <restriction base="string">
                    <maxLength value="75" />
                </restriction>
            </simpleType>
        </element>
        <element minOccurs="0" name="projectedEndDate" type="date" />
        <element minOccurs="0" name="projectedStartDate" type="date" />
        <element minOccurs="0" name="methods">
            <complexType>
                <sequence>
                    <element maxOccurs="unbounded" minOccurs="0" name="Concept"
type="x:Concept" />
                </sequence>
            </complexType>
        </element>
        <element minOccurs="0" name="locations">
            <complexType>
                <sequence>
                    <element maxOccurs="unbounded" minOccurs="0" name="Concept"
type="x:Concept" />
                </sequence>
            </complexType>
        </element>
        <element name="serviceTypeCode" type="string" />
        <element name="intensityCode" type="string" />
        <element name="periodCode" type="string" />
        <element minOccurs="0" name="reasonIfLateCode" type="string" />
        <element minOccurs="0" name="user" type="x:User" />
    </sequence>
</complexType>
<complexType name="Referral">
    <sequence>
        <element name="referralDate" type="date" />
        <element minOccurs="0" name="firstName">
            <simpleType>
                <restriction base="string">
                    <maxLength value="75" />
                </restriction>
            </simpleType>
        </element>
        <element minOccurs="0" name="lastName">

```

```

        <simpleType>
            <restriction base="string">
                <maxLength value="75" />
            </restriction>
        </simpleType>
    </element>
    <element minOccurs="0" name="email">
        <simpleType>
            <restriction base="string">
                <maxLength value="200" />
            </restriction>
        </simpleType>
    </element>
    <element minOccurs="0" name="phoneNumber">
        <simpleType>
            <restriction base="string">
                <maxLength value="25" />
            </restriction>
        </simpleType>
    </element>
    <element minOccurs="0" name="referrerNotified" type="boolean" />
    <element minOccurs="0" name="referralReasonNotes" type="string" />
    <element minOccurs="0" name="referralTranslatorNeeded"
type="boolean" />
    <element minOccurs="0" name="referralReasons">
        <complexType>
            <sequence>
                <element maxOccurs="unbounded" minOccurs="0" name="Concept"
type="x:Concept" />
            </sequence>
        </complexType>
    </element>
    <element name="referralSourceCode" type="string" />
    <element minOccurs="0" name="familyAwareCode" type="string" />
</sequence>
</complexType>
<complexType name="Insurance">
    <sequence>
        <element minOccurs="0" name="uninsured" type="boolean" />
        <element minOccurs="0" name="insuranceBrandNameOther">
            <simpleType>
                <restriction base="string">
                    <maxLength value="200" />
                </restriction>
            </simpleType>
        </element>
        <element minOccurs="0" name="subscriberFirstName">
            <simpleType>
                <restriction base="string">
                    <maxLength value="200" />
                </restriction>
            </simpleType>
        </element>
        <element minOccurs="0" name="subscriberLastName">
            <simpleType>
                <restriction base="string">
                    <maxLength value="200" />
                </restriction>
            </simpleType>
        </element>
    </sequence>

```



```

        </restriction>
    </simpleType>
</element>
<element minOccurs="0" name="subscriberBirthDate" type="date" />
<element minOccurs="0" name="subscriberIdentifier">
    <simpleType>
        <restriction base="string">
            <maxLength value="25" />
        </restriction>
    </simpleType>
</element>
<element minOccurs="0" name="childSubscriberIdentifier">
    <simpleType>
        <restriction base="string">
            <maxLength value="25" />
        </restriction>
    </simpleType>
</element>
<element minOccurs="0" name="memberIdSuffix">
    <simpleType>
        <restriction base="string">
            <maxLength value="25" />
        </restriction>
    </simpleType>
</element>
<element minOccurs="0" name="policyNumber">
    <simpleType>
        <restriction base="string">
            <maxLength value="25" />
        </restriction>
    </simpleType>
</element>
<element minOccurs="0" name="coverageStartDate" type="date" />
<element minOccurs="0" name="coverageEndDate" type="date" />
<element minOccurs="0" name="consentToAccessVSCode" type="string"/>
<element minOccurs="0" name="insuranceBrandNameCode" type="string"
/>
    <element minOccurs="0" name="insuranceCoverageTypeCode"
type="string" />
    <element minOccurs="0" name="payerPriorityCode" type="string" />
</sequence>
</complexType>
<complexType name="Consent">
    <sequence>
        <element minOccurs="0" name="date" type="date" />
        <element minOccurs="0" name="name">
            <simpleType>
                <restriction base="string">
                    <maxLength value="200" />
                </restriction>
            </simpleType>
        </element>
        <element minOccurs="0" name="typeCode" type="string" />
        <element minOccurs="0" name="valueCode" type="string" />
    </sequence>
</complexType>
<complexType name="Pwn">

```

```

<sequence>
  <element minOccurs="0" name="givenDate" type="date" />
  <element minOccurs="0" name="otherReason">
    <simpleType>
      <restriction base="string">
        <maxLength value="75" />
      </restriction>
    </simpleType>
  </element>
  <element minOccurs="0" name="informationUsed" type="string" />
  <element minOccurs="0" name="reasonCode" type="string" />
</sequence>
</complexType>
<complexType name="Contact">
  <sequence>
    <element minOccurs="0" name="contactCategory">
      <simpleType>
        <restriction base="string">
          <maxLength value="200" />
        </restriction>
      </simpleType>
    </element>
    <element minOccurs="0" name="contactName">
      <simpleType>
        <restriction base="string">
          <maxLength value="200" />
        </restriction>
      </simpleType>
    </element>
    <element minOccurs="0" name="email">
      <simpleType>
        <restriction base="string">
          <maxLength value="200" />
        </restriction>
      </simpleType>
    </element>
    <element minOccurs="0" name="phoneNumber">
      <simpleType>
        <restriction base="string">
          <maxLength value="25" />
        </restriction>
      </simpleType>
    </element>
    <element minOccurs="0" name="consentDate" type="date" />
    <element minOccurs="0" name="consentEndDate" type="date" />
    <element minOccurs="0" name="address" type="x:Address" />
    <element minOccurs="0" name="contactTypeCode" type="string" />
  </sequence>
</complexType>
<complexType name="CommunicationLog">
  <sequence>
    <element minOccurs="0" name="contactDate" type="dateTime" />
    <element minOccurs="0" name="outcome">
      <simpleType>
        <restriction base="string">
          <maxLength value="75" />
        </restriction>
      </simpleType>
    </element>
  </sequence>
</complexType>

```

```

        </simpleType>
    </element>
    <element minOccurs="0" name="contactNote" type="string" />
    <element minOccurs="0" name="user" type="x:User" />
    <element minOccurs="0" name="communicationTypeCode" type="string" />
</sequence>
</complexType>
<complexType name="Guardian">
    <sequence>
        <element minOccurs="0" name="firstName">
            <simpleType>
                <restriction base="string">
                    <maxLength value="75" />
                </restriction>
            </simpleType>
        </element>
        <element minOccurs="0" name="lastName">
            <simpleType>
                <restriction base="string">
                    <maxLength value="75" />
                </restriction>
            </simpleType>
        </element>
        <element minOccurs="0" name="workPhone">
            <simpleType>
                <restriction base="string">
                    <maxLength value="25" />
                </restriction>
            </simpleType>
        </element>
        <element minOccurs="0" name="homePhone">
            <simpleType>
                <restriction base="string">
                    <maxLength value="25" />
                </restriction>
            </simpleType>
        </element>
        <element minOccurs="0" name="cellPhone">
            <simpleType>
                <restriction base="string">
                    <maxLength value="25" />
                </restriction>
            </simpleType>
        </element>
        <element minOccurs="0" name="email">
            <simpleType>
                <restriction base="string">
                    <maxLength value="200" />
                </restriction>
            </simpleType>
        </element>
        <element minOccurs="0" name="spokenLanguageOther">
            <simpleType>
                <restriction base="string">
                    <maxLength value="75" />
                </restriction>
            </simpleType>
        </element>
    </sequence>
</complexType>

```

```

</element>
<element minOccurs="0" name="writtenLanguageOther">
  <simpleType>
    <restriction base="string">
      <maxLength value="75" />
    </restriction>
  </simpleType>
</element>
<element minOccurs="0" name="currentAddress" type="x:Address" />
<element minOccurs="0" name="guardianTypeCode" type="string" />
<element minOccurs="0" name="surveyMethodCode" type="string" />
<element minOccurs="0" name="spokenLanguageCode" type="string" />
<element minOccurs="0" name="writtenLanguageCode" type="string" />
</sequence>
</complexType>
<complexType name="ServiceCoordinator">
  <sequence>
    <element minOccurs="0" name="user" type="x:User" />
  </sequence>
</complexType>
<complexType name="Attendee">
  <sequence>
    <element minOccurs="0" name="user" type="x:User" />
    <element minOccurs="0" name="disciplines">
      <complexType>
        <sequence>
          <element maxOccurs="unbounded" minOccurs="0"
name="Concept" type="x:Concept"/>
        </sequence>
      </complexType>
    </element>
  </sequence>
</complexType>
<complexType name="MonthlyCap">
  <sequence>
    <element minOccurs="0" name="monthlyCap" type="decimal" />
    <element minOccurs="0" name="startDate" type="date"/>
  </sequence>
</complexType>
<complexType name="Hsq">
  <sequence>
    <element minOccurs="0" name="datesHsqSent" type="date"/>
  </sequence>
</complexType>
<simpleType name="id">
  <restriction base="string">
    <minLength value="36" />
    <maxLength value="36" />
  </restriction>
</simpleType>
</schema>

```